

PLANNING COMMISSION STAFF REPORT

MEETING DATE: January 7, 2021

PROJECT NUMBER: S-20-002

REQUEST: Final Plat approval for a plat amendment subdividing an existing lot in the Crossing at

South Salt Lake Subdivision into 2-lots

ADDRESS: 2150 South State Street PARCEL NUMBER: 16-19-103-023-0000

PROPERTY OWNER: Boyer South Salt Lake Crossing 2, LC. **APPLICANT:** Raising Cane's Chicken Fingers Restaurant

SYNOPSIS:

Raising Cane's Chicken Fingers Restaurant is petitioning the Planning Commission for final plat approval for a plat amendment subdividing an existing lot in the Crossing at South Salt Lake Subdivision into 2-lots. The lot is located at 2150 South State Street. Raising Cane's is under contract with the Boyer Company to purchase the property. The subject property is currently vacant land. The applicant intends to construct a 3,414 square foot single-story fast-food restaurant on Lot 4A which will be occupied by a Raising Cane's Chicken Fingers restaurant. Lot 4B will be developed at a later date. The Planning Commission is the Land Use Authority on all subdivisions.



Figure 1. Existing Lot and Proposed Subdivision Boundary

EXISTING	EXISTING USE	SURROUNDING LAND	PROPOSED LOT	PROPERTY ACCESS
ZONING		USE DISTRICTS	SIZES	
The Crossing	Vacant/	North: Commercial	Lot 4A: 0.778 acres	The proposed lots will not have
Master Planned	Undeveloped	Corridor	Lot 4B: 0.916 acres	direct access to State Street.
Mixed Use	Land	South: Commercial		Access will be provided
Development		Corridor		through the Winco parcel on
(MPMU)		East: Commercial		the west boundary line of the
		Corridor		proposed lots. Existing access
		West: The Crossing		easements are in place on the
		MPMU		plat to allow access via
				adjacent properties.

STAFF RECOMMENDATION:

Staff recommends final plat approval for a plat amendment subdividing an existing lot in the Crossing At South Salt Lake Subdivision into 2-lots located at 2150 South State street, based on the findings of fact, conclusions of law, and conditions found at the end of this report.



GENERAL INFORMATION:

Location: 2150 South State Street

Proposed Project Size: Lot 4A: 33,886 square feet (0.778 acres) Lot 4B: 39,900 square feet (0.916 acres)

Figure 2: Existing and Proposed Lot Lines






Figure 3: Proposed Elevations



Side Elevation Rear Elevation



*SITE PLAN IS CONCEPTUAL – SUBJECT TO TECHNICAL REVIEW



REQUIREMENTS:

17.11.030. Land use authority designations.

Pursuant to state law, the following administrative land use authority designations are made:

A. Planning Commission. The planning commission is the land use authority on issues of: <u>subdivision</u> and <u>subdivision</u> Plat; Conditional Use permit Applications; design review for Building Heights as established in this Title; design review for projects on Parcels where any portion of the Parcel abuts any residential district; and the issuance of a Building or demolition permit in a Historic and Landmark district.

GENERAL PLAN CONSIDERATIONS:

Goal LU-1. Regulate land uses based on compatibility with surrounding uses, residential areas and economic feasibility. Maintain residential, business and industrial areas that are vibrant and where the health and safety of all are protected.

Analysis: The proposed project creates an opportunity for the expansion of an existing commercial area. The proposed use ties in well with surrounding land uses and brings the overall project closer to completion.

Goal LU-10. Enhance the street appearance in business and commercial areas. Business and commercial area beautification was a theme at all of the Plan's public meetings. Commercial corridor improvements are readily noticed. Improvements will add a sense of positive momentum to the City.

Analysis: The proposed project will improve the street scape of the State Street frontage while filling in part of a key gap in the existing and planned development pattern along State Street.

STAFF ANALYSIS:

Ordinance	Finding	Notes / Insufficiency		
	Title 17 – Land Use			
17.10.140 – Subdivision Development Lot Standards				
A. Results in a compliant lot and building sites.	Complies – The proposed new lots will be sized as follows: Lot 4A: 0.778 acres Lot 4B: 0.916 acres These lots are compliant with the standards of The Crossing Master Planned Mixed Use (MPMU) district, which does not contain a specific minimum area standards for a commercial lot.			
B. Frontage on public street	Complies – Both lots resulting from this subdivision front on State Street. No access will be provided to State Street from the frontages of these lots. Access is proposed to come from the Winco parcel via an existing access easement.			
C. Street right-of-way shall be separate and distinct from subdivided lots.	Complies - The lot is separate from the Right of Way and all development is to take place within the proposed property lines.			

D.	Minimum area and	Complies – Area requirements are not specified	
	dimensions shall conform.	for The Crossing MPMU. The proposed lot area	
		and dimensions are sufficient to accommodate	
		all required development improvements.	
E.	Side boundary lines shall be	Complies – All newly created side boundary	
	at right angles to the street.	lines are at right angles to the street.	
F.	Side boundary lines of lots	Not Applicable	
	shall be radial to center of a		
	Cul-de-Sac		
G.	Corner lots for residential	Not Applicable	
	uses shall be platted wider		
<u> </u>	than interior lots	Consultan All anistina nagrada ana labata desithin	
H.	,	Complies – All existing parcels are located within	
<u> </u>	boundary late	South Salt Lake City.	
l.	Double frontage lots	Not Applicable	
J.	Multiple building yard areas Side lot lines shall be at	Not Applicable Complies - The powly greated side let line is at	
K.	right angles to street lines	Complies – The newly created side lot line is at a right angle to street lines. Existing lot lines at	
	right angles to street lines	the northwest corner of Lot 4B do not meet this	
		requirement but will remain as part of this	
		subdivision. No modification of existing lot lines	
		is required.	
L.	Dimensions of Corner Lots	Complies – This parcel is not a corner lot. The	
	shall be large enough to	preliminary site plan indicates sufficient size to	
	allow for erection of	allow for erection of a building on lot 4A.	
	Buildings		
M.	Depth and width of	Complies - Preliminary site plan and subdivision	
	properties shall be	provides adequate off-street parking. At least 18	
	adequate to provide for off-	stalls are required and 29 stalls will be provided.	
	street parking and loading	The intent is for lot 4A and 4B to share parking.	
	facilities	Any future use and development on lot 4B will	
		need to comply with required parking.	
N.	New Single-Family lots	Not Applicable	
0.	If Access from an Arterial or	Not Applicable	
	Collector Street is necessary		
	for new adjoining lots, such		
	lots shall be served by		
	separate local street	Complies No changes are prepared to existing	
P.	Driveways shall be designed and arranged to avoid	Complies –No changes are proposed to existing access points onto State Street. No direct access	
	vehicles backing onto	will be permitted from Lot 4A or Lot 4B onto	
	Streets	State Street. Access will come from the drive	
	3	aisle immediately to the west, and adjacent to	
		the WinCo Store via two existing access points	
		onto State Street. An existing easement grants	
		access to existing thoroughfares. No driveways	
		or parking stalls back onto public streets.	
Q.	Lots shall be laid out to	Complies. Drainage plans provide positive	
	provide positive drainage	drainage per Engineering review.	
	away from all buildings.	_	
17.	10.160(A) - Drainage and Stor	m Sewers General Requirements	

Α.	Each plat shall make	Complies. Adequate provisions for storm or	
	adequate provision for	flood water runoff are provided per SSL	
	storm or flood water	Engineering review.	
	runoff.		
17.10.1	160(B) – Nature of Stormwate	er Facilities	
	Location. Upon	Not applicable per Engineering review.	
-	recommendation of City	The approximation of a submitted in the	
	Engineer applicants may		
	be required to carry away		
	by pipe or open channel		
	any spring or surface		
	water that may exist		
	either previously to or as a		
	result of the subdivision		
2.	Adequate underground	Complies. Adequate underground storm water	
	stormwater systems shall	systems are provided per engineering review.	
	be constructed and	grand and provided per origination.	
	maintained.		
3.	Accommodation of	Not applicable.	
	Upstream Drainage Areas.		
4.	Adequate storm / flood	Complies. Adequate storm/flood water	
	water drainage will be	drainage is provided per Engineering review.	
	provided to an approved		
	drainage watercourse or		
	facility with capacity.		
5.	Areas of poor drainage	Complies. The submitted soils report indicates a	
	shall be remediated as	water table of 15 feet at the subject site.	
	applicable.	Sufficient drainage is provided per Engineering	
		review.	
6.	Flood plain areas shall be	Complies. No flood plain areas exist to be	
	preserved upon	preserved upon recommendation of the South	
	recommendation of City	Salt Lake City Engineer.	
	Engineer when necessary		
	for the health, safety, or		
	welfare of the population		
	of the area.		
17.1	LO.170 - Water Facilities		
A.	Applicant shall extend	Complies. The proposed development connects	
	public culinary water	to an existing water meter. Adequate water	
	supply-system for the	supply provisions are proposed per SSL	
	purpose of providing an	Engineering review.	
	adequate water-supply to		
_	the Plat		
В.	Applicant shall install	Complies. One existing fire hydrant is located in	
	adequate water facilities	the existing park strip at the corner of State	
	including fire hydrants.	Street and Utopia. Another is located near the	
		northwest corner of the existing lot, in a	
		landscaped island, adjacent to the WinCo	
		building. Hydrant locations are included on the	
		plat. Adequate hydrant facilities are provided	
	Fire flow shall be assessed	per Fire Marshal review.	
(C.	Fire flow shall be approved	Complies. A fire flow test was performed	
L	by the Fire Marshal.	showing a fire flow of 1,366 gallons per minute.	

Fire flow is adequate for the proposed subdivision per Fire Marshal review. D. Water main extensions shall meet the City's enter the property from the west. The existing water mains meet SSL standards per SSL Engineering review. All work shall be inspected to ensure compliance with South Salt Lake standards. E. Location of all fire hydrants, all water and storage supply improvements, and the boundary lines of proposed districts, indicating all improvements proposed is	
D. Water main extensions shall meet the City's enter the property from the west. The existing water mains meet SSL standards per SSL Engineering review. All work shall be inspected to ensure compliance with South Salt Lake standards. E. Location of all fire hydrants, all water and storage supply improvements, and the boundary lines of proposed districts,	
shall meet the City's standards. enter the property from the west. The existing water mains meet SSL standards per SSL Engineering review. All work shall be inspected to ensure compliance with South Salt Lake standards. E. Location of all fire hydrants, all water and storage supply enter the property from the west. The existing water mains meet SSL standards per SSL Engineering review. All work shall be inspected to ensure compliance with South Salt Lake standards. Complies. The location of all fire hydrants, all water and storage supply improvements, and the boundary lines of proposed districts,	
standards. water mains meet SSL standards per SSL Engineering review. All work shall be inspected to ensure compliance with South Salt Lake standards. E. Location of all fire hydrants, all water and storage supply improvements, and the boundary lines of proposed districts,	
Engineering review. All work shall be inspected to ensure compliance with South Salt Lake standards. E. Location of all fire hydrants, all water and storage supply improvements, and the boundary lines of proposed districts,	
to ensure compliance with South Salt Lake standards. E. Location of all fire hydrants, all water and storage supply improvements, and the boundary lines of proposed districts,	
E. Location of all fire hydrants, all water and storage supply water and storage of proposed districts,	
hydrants, all water and storage supply improvements, and the boundary lines of proposed districts,	
storage supply the boundary lines of proposed districts,	
improvements shall be indicating all improvements proposed is	
shown on the Preliminary provided.	
and Final Plat.	
F. A determination shall be Not applicable. There are no facilities at this	
made as to location or location to be maintained by South Salt Lake	
extent of facilities to be City.	
maintained by South Salt	
Lake City, if any.	
G. Fire hydrants required for Complies. Two existing hydrants on site are	
all plats. approximately 350 feet apart, on the southeast corner of Lot 4A, and near the northwest corner	
of Lot 4B. Hydrant locations are included on the	
plat.	
17.10.180 - Sewer Facilities	
A. General Requirements.	
Applicant shall install submitted from South Salt Lake. Sanitary sewer	
sanctuary sewer facilities is provided by South Salt Lake.	
in a manner prescribed by	
the applicable sanitary At time of building permit, the subject	
sewer authority restaurant will be required to install a grease	
trap and sampling manhole that complies with	
Engineering Standards.	
B. Residential and Complies – A will serve letter has been	
Nonresidential submitted from South Salt Lake. Sanitary sewer	
Subdivision. Sanitary is provided by South Salt Lake.	
sewer facilities shall	
connect with the public At time of building permit, the subject property	
sanitary sewer at sizes will need to comply with all SSL Engineering	
required by the sanitary Standards.	
sewer authority 17.10.190 - Utilities	
A. Utility facilities shall be located underground in Complies. All new utilities shown to be underground.	
new subdivisions.	
B. Easements	
centered on Rear Lot Lines (PUE) is included on the plat around the	
shall be provided for perimeter of the lots.	
private and municipal	
utilities; such easements	
shall be at least 10' wide.	
17.10.200 - Sidewalks, Trails, and Bike Paths	

A. Subdivision shall comply with the applicable road profile.	Compiles. Current right of way improvements currently include curb/gutter, a park strip of approximately three feet, and a five foot sidewalk. The proposed site plan includes curb/gutter, and a 15 foot sidewalk with trees and tree grates spaced approximately 27 feet apart. A 15 foot landscaped buffer is required back of sidewalk; a landscape buffer of 16 feet is provided. No additional dedications for right of way width are required per Engineering review. The proposed improvements are compliant with SSL standards.	
B. Trails, pedestrian paths, and bike paths shall relate appropriately to topography.	Complies. Public and internal pathways relate appropriately to topography on the site.	
C. Trails, pedestrian paths, and bike paths shall be provided in accordance with the Trails Master Plan.	Complies. The Trails Master Plan does not include any facilities adjacent to the subject property. The Crossing MPMU document calls for a public pathway along the state street frontage of the subject property, as well as internal pathways on the south frontage along Utopia Avenue, and along the west frontage of the subject property adjacent to the neighboring WinCo drive aisle. The proposed site plan includes facilities to meet this requirement including a 15 foot sidewalk along State Street and a five foot sidewalk along the Utopia frontage and west frontage. Pedestrian paths are provided in accordance with The Crossing MPMU document	
17.06.300(F) - Landscape Rec	uirements Along Urban Corridors	
A. Area. Installation of 15- foot landscape buffer	Complies. A 15 foot landscaped buffer is required back of sidewalk along the State Street frontage. A landscape buffer of 16 feet is provided. The proposed right of way improvements are compliant with SSL standards.	
B. Buffer shall be composed of at least 75% live plant material.	Complies. The required state street buffer contains 100% live plant material coverage.	
C. A minimum of one tree is required for every 1,000 square feet of landscaped area.	Complies. The proposed site plan includes approximately 2,886 square feet of buffer landscaping requiring at least three trees. The proposed landscape plan includes seven trees in this area.	
17.06.300(I)(C) – Commercial	and Flex Landscaping	
D. Landscaped Areas shall comprise not less than 15% of commercial or professional office sites. E. Plant Coverage	Complies. The proposed site plan includes 9,176 square feet of landscaping – approximately 27% of the overall site. Complies. At least 75% of all landscaped areas	
L. Fiant Coverage	contain live plant material.	

F. Site Trees.	Complies. Two trees per thousand square feet of landscaped area is required. The 9,112 square feet of landscaped area requires 20 trees. The landscape plan includes 25 trees.	
G. Water features, landscap boulders, decorative rock gravel, or organic mulch permitted.	•	
H. If utilized ornamental gravel is utilized it must be contained within durable borders.		

STAFF RECOMMENDATION:

Staff recommends final plat approval for a Plat Amendment subdividing an existing lot located at 2150 S. State street, with the following conditions:

Findings of Fact:

- 1. The applicant is petitioning to amend an existing subdivision The Crossing at South Salt Lake City.
- 2. The proposed amendment will subdivide Lot 4 of the Crossing at South Salt Lake City Subdivision located at 2150 S. State Street.
- 3. 2150 South State Street is located in The Crossing Master Planned Mixed Use district.
- 4. The proposed subdivision amendment will create two lots: Lot 4A will be 0.778 acres in size; lot 4B will be 0.916 acres in size.
- 5. The property owner is applying for the subdivision to construct a 3,414 square foot fast food restaurant on 4Δ
- 6. Lot 4B will remain vacant with the exception of a portion of the parking lot, shared between lot 4A and lot 4B, constructed with the proposed restaurant.
- 7. The proposed development is located in The Crossing Master Planned Mixed Use (MPMU) district 2100 South/State Street Frontage subdistrict.
- 8. The proposed building falls into the Restaurant, Drive-Up Window land use category.
- 9. The Restaurant, Drive-Up Window use is a permitted land use in the 2100 South/State Street Frontage subdistrict of The Crossing MPMU.
- 10. The subject lot is currently vacant.
- 11. Both Lots 4A and 4B will have a shared access drive on the west portion of the property that links to Lot 1 (Winco). No direct vehicular access will be provided from lots 4A or 4B to State Street.
- 12. An existing access easement grant access for lots 4A and 4B to Lot 1 (Winco). This easement grants access through lot 1 to Main Street, State Street, Major Street, and Utopia Avenue.
- 13. Staff has reviewed this subdivision for compliance with SSL Municipal Code Section "17.10.140 Subdivision Development Lot Standards" and found that this subdivision is compliant with this section, as outlined above.
- 14. Staff has reviewed this subdivision for compliance with SSL Municipal Code Section "17.10.150 Subdivision Layout Requirements" and found that this subdivision is compliant with this section, as outlined above.
- 15. Staff has reviewed this subdivision for compliance with SSL Municipal Code Sections 17.10.160, 17.10.170, 17.10.180, 17.10.190, 17.10.200, and 17.10.300, and found that this subdivision is compliant with those sections, as outlined above.

Conclusions of Law:

1. The subdivision, as specifically conditioned below, is consistent with the South Salt Lake City General Plan.

- 2. The subdivision, as specifically conditioned below is compatible in use, scale, and design with the allowed uses in The Crossing Master Planned Mixed Use (MPMU) district, and 2100 South/State Street Frontage subdistrict.
- 3. The subdivision as specifically conditioned below, does not compromise the health, safety, or welfare of: Persons employed within or using the proposed development; Those residing or working in the vicinity of the proposed use or development; or Property or improvements in the vicinity of the proposed use or development.
- 4. The subdivision, as specifically conditioned below does not impose disproportionate burdens on the citizens of the city.

Conditions of Approval:

- 1. The applicant will continue to work with City staff to make all technical corrections necessary prior to recording the plat;
- 2. Prior to plat recordation and any additional development of the subsequent lot, the applicant must provide city staff the final plat mylar to include notarized signatures of owners' consent to dedication; obtain signatures of all entities indicated on the subdivision plat attached hereto;
- 3. Complete (or post an adequate improvement completion assurance), warrant and post required warranty assurance for all required landscaping and public infrastructure improvements;
- 4. The plat shall include language dedicating an easement to the City of South Salt for purposes of storm water management practices, in a form as approved by the City Attorney's Office;
- 5. The plat shall provide 10 foot public utility easements on all existing and proposed utilities;
- 6. The development of lot 4A shall be limited to one standalone restaurant structure. Due to sewer capacity, no other land use is approved with this petition. If the proposed development of Lot 4A falls through, the subdivision approval is null and void.
- 7. The development of lot 4B has not been approved with this petition.
- 8. Development of lot 4A requires a building permit.
- 9. All site improvements shall be installed consistent with the requirements of the South Salt Lake City Municipal Code;
- 10. The proposed building shall be constructed according to South Salt Lake commercial design standards;
- 11. The applicant shall provide on the plat a reciprocal parking and access easement on the entirety of lots 4A and 4B granting shared parking between the two lots and their respective owners and occupants;
- 12. The applicant shall provide on the plat an access and circulation easement to allow access to Lot 1;
- 13. All items of the staff report.

Attachments:

- Final Plat Amendment 2021
- 2. The Crossing at South Salt Lake Subdivision Plat 2015
- 3. Alta Survey of Subject Parcel

ALTA SURVEY ກS 89°54'07" E 153.82'⇒ S 0°20'50" W 45.60" 16-19-104-014 RCADIA INVESTMENT SMH RIM=4252.85' INV. 8" PVC S=4243.85' DCB M=4246.53' IV. 12" PVC S=4242.56' 16-19-104-006 ARCADIA INVESTMENT S 89°54'07" 169.86' BUILDING S 89°54'07" E 129.86' EXC. 12 C. 6) CONCRETE DRIVE S 0°20'17" W 12.50' CONCRETE SMH RIM=4249.62' INV. 8" PVC S=4240.28' INV. 15" PVC N=4240.12' W=4240.01' DRIVE (ACCESS) SDMH RIM=4248.46' INV. 12" PVC S=4242.76' W=4242.61' 7' PUE (EXC. 6) ELECTRICAL BOX 4246.80° 12" PVC 41.20° =4241.30° CONCRETE ELECTRICAL BOX FOR STREET LIGHT LOADING DOCK SMH RIM=4248.56' INV. 8" PVC NW=4241.56' E=4241.81' S=4241.56' SMH RIM=4248.51' INV. 8" PVC N=4241.26' SE=4241.26' SW=4241.26' OPEN DIRT AREA <u>o</u>) S 0°19'44" V OPEN DIRT AREA 16-19-103-023 LOT 4, CROSSING AT SOUTH SALT LAKE SUBDIVISION NH=4253.22' INV. 8" PVC N=4245.22' S=4245.42' BOYER SOUTH SALT LAKE CROSSING 2, LC 73,786 SQ. FT. 1.694 ACRES. ASPHALT PARKING AREA PLE 101 -022 AT SOUTH OPEN DIRT SMH RIM=4247.29' INV. 8" PVC N=4242.49' S=4242.49' E=4242.49' AREA BDIVISION SALT 4250-NG LC .098 ACRES SDCB RIM=4247.71' INV. 12" CPP N=4244.17' S=4244.34' E=4244.12' SDCB RIM-4247.51 ELECTRICAL BOX FOR STREET LIGHT ASPHALT DRIVEWAY (ACCESS) SDC8 RIM-4251.13 ALK N 89°54'07" W 180.00'= CONCRETE UTOPIA AVE. CONCRETE W=4249.78 (ACCESS) **ॐ** SMH RIM=4251.70' INV. 8" PVC S=4245.30' W=4245.50' SMH RIM=4249.13' INV. 8" PVC N=4242.83' S=4243.03' E=4244.13' BOX BOX ELECTRICAL BOX ASPHALT PARKING AREA SDMH BIM-4249 34 BUILDING Water Gas Sewer Comm. Storm Drain Power